

REMARKS:

The Examiner states that:

The drawings are objected to because Figures 3 and 6 are inconsistent with the descriptions thereof on page 4, lines 24-25 and 29, i.e. a method is not shown and a nursing bra is not shown.

Thus Applicant believes that the amendments to the specification at Page 4, lines 24-25 and line 29, and Page 7, lines 24-25 and now put this application in allowable form.

The Examiner further states that:

The line from 10 in Figures 1-4 should either be an arrow or extend all the way to the structure it denotes. This also applies to numeral 40 in Figures 4 and 6.

Thus Applicant believes that the Replacement Drawings that incorporate a line with an arrow from 10 in Figures 1-4, and better placement of numeral 40 in Figures 4 and 6 put this application in allowable form.

Claims 18 and 21-25 are presented for examination, with claims 1-17 and 19-20 having been cancelled. Amended claims 18 and new claims 21-25 are fully supported by the original filed specification and thus, no new matter has been added. For example, the support for the amendment to "reusable, washable, thin, flexible, breathable, liquid impervious shield" can be found at Paragraphs 8 and 13 of the printed publication.

The Examiner states that:

The prior art references, either alone or in combination, do not teach a method of let-down prevention which consists only of the claimed steps.

Thus Applicant believes that cancellation of claims 1-17 and 19-20 which were not directed to the method of let-down prevention, and submission of claim 18, which has been amended to conform to the disclosure, and new claims 21-25 now put this application in allowable form.

In view of the foregoing remarks, it is submitted that claims 18 and 21-25 now pending in the application are in condition for allowance. Applicants thus respectfully request that the instant Amendment be entered and that all pending claims be allowed and this application be entered and this application be passed to issuance.

If any outstanding issues remain, or if the Examiner has any suggestions for expediting allowance of this application, the Examiner is invited to contact the undersigned at the telephone number below.

The Examiner's attention to this matter is greatly appreciated

Respectfully submitted,
GREENBERG TRAURIG

Dated: May 9, 2008

By: /barry j schindler/
Barry J. Schindler
Registration No. 32,938

Barry J. Schindler, Esq.
GREENBERG TRAURIG LLP
Met Life Building
200 Park Avenue, 34th Floor
New York, New York 10166
Phone: 212-801-2244
Fax: 212-801-6400